



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 308 459 A2**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
07.05.2003 Bulletin 2003/19

(51) Int Cl.7: **C07K 14/705, C12N 15/12,**
C12N 5/10, C07K 16/18,
C12Q 1/68, G01N 33/68

(21) Application number: **02007401.9**

(22) Date of filing: **28.03.2002**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **05.11.2001 JP 2001379298**
25.01.2002 US 350978

(71) Applicants:
• **Helix Research Institute**
Kisarazu-shi, Chiba 292-0812 (JP)
• **Research Association for Biotechnology**
Tokyo 105-0003 (JP)

(72) Inventors:
• **Isogai, Takao**
Inashiki-gun, Ibaraki 300-0303 (JP)
• **Sugiyama, Tomoyasu**
Tokyo 130-0003 (JP)
• **Otsuki, Tetsuji**
Kisarazu-shi, Chiba 292-0055 (JP)
• **Wakamatsu, Ai**
Kisarazu-shi, Chiba 292-0014 (JP)
• **Sato, Hiroyuki**
Toyonaka-shi, Osaka 560-0021 (JP)
• **Ishii, Shizuko**
Kisarazu-shi, Chiba 292-0812 (JP)
• **Yamamoto, Jun-ichi**
Kisarazu-shi, Chiba 292-0041 (JP)

- **Isono, Yuuko**
Kisarazu-shi, Chiba 292-0014 (JP)
- **Hio, Yuri**
Kisarazu-shi, Chiba 292-0812 (JP)
- **Otsuka, Kaoru**
Honjo-shi, Saitama 367-0047 (JP)
- **Nagai, Keiichi**
Yamato-shi, Tokyo 207-0022 (JP)
- **Irie, Ryotaro**
Kisarazu-shi, Chiba 292-0801 (JP)
- **Tamechika, Ichiro**
Hirakata-shi, Osaka 573-0034 (JP)
- **Seki, Naohiko**
Chiba-shi, Chiba 261-0001 (JP)
- **Yoshikawa, Tsutomu**
Kisarazu-shi, Chiba 292-0043 (JP)
- **Otsuka, Motoyuki**
Tokyo 125-0062 (JP)
- **Nagahara, Kenji**
Tokyo 167-0053 (JP)
- **Masuho, Yasuhiko**
Koganei-shi, Tokyo 184-0011 (JP)

(74) Representative: **VOSSIUS & PARTNER**
Siebertstrasse 4
81675 München (DE)

Remarks:

The complete document including Reference Tables and the Sequence Listing is available on CD-ROM from the European Patent Office, Vienna sub-office

(54) **Full-length cDNA sequences**

(57) Novel full-length cDNAs are provided.
1970 cDNA derived from human have been isolated. The full-length nucleotide sequences of the cDNA and amino acid sequences encoded by the nucleotide

sequences have been determined. Because the cDNA of the present invention are full-length and contain the translation start site, they provide information useful for analyzing the functions of the polypeptide.

EP 1 308 459 A2

RTS 0618W

UTERU20140010
 UTERU20167570
 UTERU20168960//Homo sapiens actin filament associated protein (AFAP) mRNA, complete cds.//2.60E-68//364aa//43%//AF188700
 5 UTERU20169020//HOMEBOX PROSPERO-LIKE PROTEIN PROX1 (PROX 1).//1.30E-54//117aa//74%//Q91018
 UTERU20173030
 UTERU20176230
 UTERU20177150//Homo Sapiens zinc finger protein dp mRNA, complete cds.//4.60E-10//104aa//40%//AF153201
 UTERU20181270
 10 UTERU20185220//Human mRNA for transcriptional activator hSNF2a, complete cds.//1.60E-125//246aa//98%//D26155
 UTERU20188670//HFM1 PROTEIN.//5.10E-19//234aa//26%//P51979
 UTERU20188840

Claims

1. A polynucleotide selected from the group consisting of the following (a) to (g) :

- 20 (a) a polynucleotide comprising a protein-coding region of the nucleotide sequence of any one of SEQ ID NOs: 1 to 1970;
- (b) a polynucleotide encoding a polypeptide comprising the amino acid sequence of any one of SEQ ID NOs: 1971 to 3940;
- 25 (c) a polynucleotide comprising a nucleotide sequence encoding a polypeptide comprising the amino acid sequence of any one of SEQ ID NOs: 1971 to 3940, wherein, in said amino acid sequence, one or more amino acids have been substituted, deleted, inserted, and/or added, and wherein said nucleotide sequence encodes a polypeptide functionally equivalent to a polypeptide comprising the selected amino acid sequence;
- (d) a polynucleotide hybridizing to a polynucleotide comprising the nucleotide sequence of any one of SEQ ID NOs: 1 to 1970, wherein said nucleotide sequence encodes a polypeptide functionally equivalent to a polypeptide encoded by the selected nucleotide sequence;
- 30 (e) a polynucleotide comprising a nucleotide sequence encoding a partial amino acid sequence of a polypeptide encoded by the polynucleotide according to any one of (a) to (d);
- (f) a polynucleotide comprising a nucleotide sequence having at least 70% identity to the nucleotide sequence of any one of SEQ ID NOs: 1 to 1970; and
- 35 (g) a polynucleotide comprising a nucleotide sequence having at least 90% identity to the nucleotide sequence of any one of SEQ ID NOs: 1 to 1970.

2. A polypeptide encoded by the polynucleotide of claim 1, or a partial peptide thereof.

40 3. An antibody binding to the polypeptide or the peptide of claim 2.

4. A method for immunologically assaying the polypeptide or the peptide of claim 2, said method comprising the steps of contacting the polypeptide or the peptide of claim 2 with the antibody of claim 3, and observing the binding between the two.

45 5. A vector comprising the polynucleotide of claim 1.

6. A transformant carrying the polynucleotide of claim 1 or the vector of claim 5.

50 7. A transformant carrying the polynucleotide of claim 1 or the vector of claim 5 in an expressible manner.

8. A method for producing the polypeptide or the peptide of claim 2, said method comprising the steps of culturing the transformant of claim 7 and recovering an expression product.

55 9. An oligonucleotide comprising at least 15 nucleotides, said oligonucleotide comprising a nucleotide sequence complementary to the nucleotide sequence of any one of SEQ ID NOs: 1 to 1970 or to a complementary strand thereof.

10. Use of the oligonucleotide of claim 9 as a primer for synthesizing the polynucleotide of claim 1.

11. Use of the oligonucleotide of claim 9 as a probe for detecting the polynucleotide of claim 1.

5 12. An antisense polynucleotide against the polynucleotide of claim 1 or a part thereof.

13. A method for detecting the polynucleotide of claim 1, said method comprising the following steps of:

10 a) incubating a target polynucleotide with the oligonucleotide of claim 9 under hybridizable conditions, and
 b) detecting hybridization of the target polynucleotide with the oligonucleotide of claim 9.

14. A database of polynucleotides and/or polypeptides, said database comprising information on at least one of the
 nucleotide sequences of SEQ ID NOs: 1 to 1970 and/or on at least one of the amino acid sequences of SEQ ID
 NOs: 1971 to 3940.

15

20

25

30

35

40

45

50

55